Subject Index—Volume 30

A

ABC. *See* aneursymal bone cyst
abdominal aortic aneurysm, magnetic resonance imaging methods and, 595
acute renal failure (ARF)
  experimentally induced, Doppler ultrasonography and, 168
  radiocontrast nephrotoxocity and, 221
adolescent, renovascular hypertension, percutaneous transluminal angioplasty and, two-year clinical follow-up, 40
alcohol. *See* ethanol
allergy, adverse reactions to contrast media and, 285
allergy-mediated substances, angiographic contrast media and, 144
aneursymal bone cyst (ABC), plain radiographic appearance, quantitative analysis, 433
aneurysm, aortic, abdominal, magnetic resonance imaging methods and, 595
angiographic contrast media
  calcium antagonistic effects in vitro, 21
  vasoactive peptides and allergy-mediated substances and, 144
angiography
  cardiac. *See* cardiac angiography
  coronary. *See* coronary angiography
  digital subtraction. *See* digital subtraction angiography
  effects of carbon dioxide arterial infusion on hepatic biochemistry and histology, 192
  magnetic resonance. *See* magnetic resonance angiography
  percutaneous transluminal angioplasty for renovascular hypertension and, two-year clinical follow-up, 40
  pincushion distortion and, 204
  pulmonary. *See* pulmonary angiography
  undetected hepatocellular carcinoma and, 458
angioplasty, percutaneous transluminal, renovascular hypertension and, two-year clinical follow-up, 40
animal studies
  accumulation of ultrasmall superparamagnetic iron oxide particles in lymph nodes, 98
  calcium antagonistic effects of angiographic contrast medium in vitro, 21
  cardiac disturbances induced by bolus administration of iodinated contrast media and noniodinated solutions, 1
  characterization of reactive versus tumor-bearing lymph nodes, 706
  contractile responses to electrolyte changes during coronary bolus perfusion, 173
  contrast enhancement in rabbit carcinomas, 291
  contrast media and small intestine, 683
  Doppler ultrasonography in experimentally induced acute renal failure, 168
  effects if iobitridol and iohexol on renal histology in rat, 33
  effects of carbon dioxide arterial infusion on hepatic biochemistry and histology, 192
  effects of contrast media on coronary hemodynamics and myocardial metabolism, 28
  effects of manganese complexes, dipyridoxyl diphosphate, and manganese chloride on cardiac function, 159
  evaluation of gadobutrol as contrast agent for computed tomography, 644
  excretion of iodine after oral administration of iohexol, 296
  experimental arterial stent placement, 412
  experimental myelography in pig, 239
  fibrinolytic agents coating wire implants to decrease infection, 341
  gadolinium biodistribution, 372
  hepatobiliary and extracellular contrast agents compared, 123
  human tumors in nude mice treated with percutaneous ethanol injection therapy and radiation therapy, 10
  immunogenicity of iotrolan, 548
  magnetic resonance imaging as monitor of changes in irradiated rat brain, 214
  magnetic resonance imaging of hepatocarcinoma in rat, 572
  magnetic resonance signal enhancement in evaluation of myocardial infarction, 306
  magnetization transfer and high-dose contrast in early brain infection, 135
  metallic stent placement in peripheral arteries, intimal hyperplasia and, 532
  microcirculation of intact rat heart after iodinated and gadolinium-containing contrast media, 69
  percutaneous internal maxillary arterial embolization with ethylcellulose microspheres, 354
  posterior pituitary high intensity on T1-weighted magnetic resonance imaging, 567
  postmortem metabolic and morphologic alterations of dog brain thalamus, 269
  radiation-induced lung injury, high-resolution computed tomography and, 79
  renal pathology after arterial yttrium-90 microsphere administration, 716
  right ventricular volume measurements by magnetic resonance imaging in small hearts, 87
  safety and pharmacokinetics of iotrolan in hysterosalpingography, 538
  transcatheter occlusion of patent ductus arteriosus using self-expanding device, 104
  transplacental passage and milk excretion of iobitridol, 156
  WIN 39996 as contrast agent for gastrointestinal magnetic resonance imaging, 226
anthropomorphic phantom, simulated miliary lung disease and, 186
aortic aneurysm, abdominal, magnetic resonance imaging methods and, 595
ARF. *See* acute renal failure
arterial stent placement, experimental, 412
artery
  effects of iohexol and nifedipine compared, 21
  experimental stent placement, 412
arthritis, rheumatoid. *See* rheumatoid arthritis
arthroplasty, knee. *See* knee arthroplasty
asthma, adverse reactions to contrast media and, 285
astrocytoma, phosphorus-31 chemical shift imaging, 359

B

balloon embolectomy catheter, 496
barium upper gastrointestinal examination with biopsy, versus endoscopy with biopsy in gastritis, 329
blood flow, brain
  digital subtraction angiography and, 244
  functional magnetic resonance imaging and, 625
blood oxygenation, quantitative physiologic model, functional magnetic resonance imaging and, 669
bone
  aneursymal cyst, quantitative analysis, 433
  central chondrosarcoma, quantitative analysis, 440
  solitary lesions, quantitative analysis, 427
bone densitometry, magnetic resonance, 254
bone marrow, abnormalities, magnetic resonance imaging and, 110

Subject Index—Volume 30

A

ABC. *See* aneursymal bone cyst
abdominal aortic aneurysm, magnetic resonance imaging methods and, 595
acute renal failure (ARF)
  experimentally induced, Doppler ultrasonography and, 168
  radiocontrast nephrotoxocity and, 221
adolescent, renovascular hypertension, percutaneous transluminal angioplasty and, two-year clinical follow-up, 40
alcohol. *See* ethanol
allergy, adverse reactions to contrast media and, 285
allergy-mediated substances, angiographic contrast media and, 144
aneursymal bone cyst (ABC), plain radiographic appearance, quantitative analysis, 433
aneurysm, aortic, abdominal, magnetic resonance imaging methods and, 595
angiographic contrast media
  calcium antagonistic effects in vitro, 21
  vasoactive peptides and allergy-mediated substances and, 144
angiography
  cardiac. *See* cardiac angiography
  coronary. *See* coronary angiography
  digital subtraction. *See* digital subtraction angiography
  effects of carbon dioxide arterial infusion on hepatic biochemistry and histology, 192
  magnetic resonance. *See* magnetic resonance angiography
  percutaneous transluminal angioplasty for renovascular hypertension and, two-year clinical follow-up, 40
  pincushion distortion and, 204
  pulmonary. *See* pulmonary angiography
  undetected hepatocellular carcinoma and, 458
angioplasty, percutaneous transluminal, renovascular hypertension and, two-year clinical follow-up, 40
animal studies
  accumulation of ultrasmall superparamagnetic iron oxide particles in lymph nodes, 98
  calcium antagonistic effects of angiographic contrast medium in vitro, 21
  cardiac disturbances induced by bolus administration of iodinated contrast media and noniodinated solutions, 1
  characterization of reactive versus tumor-bearing lymph nodes, 706
  contractile responses to electrolyte changes during coronary bolus perfusion, 173
  contrast enhancement in rabbit carcinomas, 291
  contrast media and small intestine, 683
  Doppler ultrasonography in experimentally induced acute renal failure, 168
  effects if iobitridol and iohexol on renal histology in rat, 33
  effects of carbon dioxide arterial infusion on hepatic biochemistry and histology, 192
  effects of contrast media on coronary hemodynamics and myocardial metabolism, 28
  effects of manganese complexes, dipyridoxyl diphosphate, and manganese chloride on cardiac function, 159
  evaluation of gadobutrol as contrast agent for computed tomography, 644
  excretion of iodine after oral administration of iohexol, 296
  experimental arterial stent placement, 412
  experimental myelography in pig, 239
  fibrinolytic agents coating wire implants to decrease infection, 341
  gadolinium biodistribution, 372
  hepatobiliary and extracellular contrast agents compared, 123
  human tumors in nude mice treated with percutaneous ethanol injection therapy and radiation therapy, 10
  immunogenicity of iotrolan, 548
  magnetic resonance imaging as monitor of changes in irradiated rat brain, 214
  magnetic resonance imaging of hepatocarcinoma in rat, 572
  magnetic resonance signal enhancement in evaluation of myocardial infarction, 306
  magnetization transfer and high-dose contrast in early brain infection, 135
  metallic stent placement in peripheral arteries, intimal hyperplasia and, 532
  microcirculation of intact rat heart after iodinated and gadolinium-containing contrast media, 69
  percutaneous internal maxillary arterial embolization with ethylcellulose microspheres, 354
  posterior pituitary high intensity on T1-weighted magnetic resonance imaging, 567
  postmortem metabolic and morphologic alterations of dog brain thalamus, 269
  radiation-induced lung injury, high-resolution computed tomography and, 79
  renal pathology after arterial yttrium-90 microsphere administration, 716
  right ventricular volume measurements by magnetic resonance imaging in small hearts, 87
  safety and pharmacokinetics of iotrolan in hysterosalpingography, 538
  transcatheter occlusion of patent ductus arteriosus using self-expanding device, 104
  transplacental passage and milk excretion of iobitridol, 156
  WIN 39996 as contrast agent for gastrointestinal magnetic resonance imaging, 226
anthropomorphic phantom, simulated miliary lung disease and, 186
aortic aneurysm, abdominal, magnetic resonance imaging methods and, 595
ARF. *See* acute renal failure
arterial stent placement, experimental, 412
artery
  effects of iohexol and nifedipine compared, 21
  experimental stent placement, 412
arthritis, rheumatoid. *See* rheumatoid arthritis
arthroplasty, knee. *See* knee arthroplasty
asthma, adverse reactions to contrast media and, 285
astrocytoma, phosphorus-31 chemical shift imaging, 359

B

balloon embolectomy catheter, 496
barium upper gastrointestinal examination with biopsy, versus endoscopy with biopsy in gastritis, 329
blood flow, brain
  digital subtraction angiography and, 244
  functional magnetic resonance imaging and, 625
blood oxygenation, quantitative physiologic model, functional magnetic resonance imaging and, 669
bone
  aneursymal cyst, quantitative analysis, 433
  central chondrosarcoma, quantitative analysis, 440
  solitary lesions, quantitative analysis, 427
bone densitometry, magnetic resonance, 254
bone marrow, abnormalities, magnetic resonance imaging and, 110

book review, 322, 384
BR1, 451
brain
  blood flow
    digital subtraction angiography and, 244
    functional magnetic resonance imaging and, 625
  infection, magnetization transfer and high-dose contrast and, 135
  meningitis, detectability with magnetic resonance imaging, 484
  nuclear magnetic resonance spectra, 199
  radiation model, magnetic resonance imaging and, 214
  single photon emission computed tomography analysis and, 582
  tumor, one-dimensional phosphorus-31 chemical shift imaging, 359
breast carcinoma, recurrent fibromatosis and, 381
breast disease
  differentiation of benign and malignant, quantitative parameters measured by new sonographic method, 401
  mammographic and sonographic findings, clinical correlation, 582
breast milk, excretion of iobitridol, 156

C

CAD. *See* coronary artery disease
carbon dioxide, arterial infusion, effects on hepatic biochemistry and histology, 192
carcinoma
  breast, recurrent fibromatosis and, 381
  contrast enhancement and, 291
  hepatocellular, undetected on two-phased incremental computed tomography, 458
  squamous cell of uterine cervix, thoracic metastases, 724
cardiac angiography
  calcium-binding contrast agents and, adverse effects, 663
  low osmolality contrast media and, 1
CARI. *See* clinical amplitude/velocity reference imaging
CBF. *See* cerebral blood flow
central chondrosarcoma, quantitative analysis, 440
central nervous system, magnetic resonance imaging, safety and efficacy of dotarem versus magnevist, 75
cerebral blood flow (CBF)
  functional magnetic resonance imaging and, 625
  quantitative physiologic model, 669
chemical shift imaging, phosphorus-31, brain tumors and, 359
chest, computed tomography display preferences, 517
chest x-ray, frontal, pulmonary opacities in children and, 44
children
  pulmonary opacities, frontal chest x-ray and, 44
  renovascular hypertension, percutaneous transluminal angioplasty and, two-year clinical follow-up, 40
  right ventricular volume measurements, magnetic resonance imaging and, 87
chondrosarcoma, central, quantitative analysis, 440
clinical amplitude/velocity reference imaging (CARI), differentiation of benign and malignant breast disease and, 401
closed head injury, nuclear magnetic resonance spectroscopy and, 502
cobra venom factor, accumulation of ultrasmall superparamagnetic iron oxide particles in lymph nodes and, 98
colon, computed tomography and, 275
computed tomography (CT)
  chest, display preferences, 517
  diagnosis of pulmonary emphysema and, 552
  electron beam. *See* electron beam computed tomography
  gadobutrol as contrast agent, 644
  high-resolution. *See* high-resolution computed tomography
  large bowel wall and, 275
  recurrent fibromatosis in breast carcinoma and, 381
  single photon emission. See single photon emission computed tomography
  small hepatocellular carcinomas undetected, 458
  ultrafast. *See* ultrafast computed tomography
contrast media
  angiographic. *See* angiographic contrast media
  calcium-binding in cardiac angiography, adverse effects, 663
  effects of carbon dioxide arterial infusion on hepatic biochemistry and histology, 192
  effects on coronary hemodynamics and myocardial metabolism, 28
enhancement in carcinomas, 291
  flow cytometric evaluation of platelet activation and, 90
  gadolinium-containing. *See* gadolinium-containing contrast media
hepatobiliary and extracellular, compared in healthy liver and metastatic disease, 123
  high-dose, brain infection and, 135
  iodinated. *See* iodinated contrast media
  low osmolality. *See* low osmolality contrast media
  myelography and, 239
  nonionic, response of vasoactive peptides, 511
  small intestine and, 683
  ultrasonic, bubbles of slowly permeating gas and, 315
  ultrasonography, 451
coronary angiography, cardiac contractile responses during coronary bolus perfusion, 173
coronary artery disease (CAD), myocardial perfusion imaging and, 367
coronary blood flow, effects of contrast media, 28
creatinine, serum
  experimentally induced acute renal failure and, 168
  intravenous administration of iodinated contrast media and, 700
CT. *See* computed tomography
cyst, aneurysmal of bone, quantitative analysis, 433

D

dentate alveolar process, infra-alveolar bony lesions, high-resolution computed tomography and, 421
dextran, accumulation of ultrasmall superparamagnetic iron oxide particles in lymph nodes and, 98
diagnostic radiology, pulmonary opacities in children and, 44
diagnostic tests, new, guidelines for assessment, 334
diatrizoate
  cardiac angiography and, adverse effects, 663
  microcirculation in intact rat heart and, 69
digital chest imaging, simulated diffuse interstitial pulmonary disease and, 300
digital storage phosphor radiography, simulated miliary lung disease in anthropomorphic phantom and, 186
digital subtraction angiography (DSA), absolute phasic blood flow measurement in brain and, 244
digital subtraction arthrography, rotator cuff tear and, 544
dipyridamole loading, ultrafast x-ray computed tomography for myocardial ischemia detection and, 389
dipyridoxyl diphosphate, effects on cardiac function, 159
distal interphalangeal joint, magnetic resonance imaging, 522
Doppler ultrasonography, experimentally induced acute renal failure and, 168
dotarem, magnetic resonance imaging of central nervous system and, 75
DSA. *See* digital subtraction angiography
dual-tracer protocol, identification of myocardial ischemia and, 367

E

ectopic pregnancy, ultrasound diagnosis, 115
electrolytes, contractile response to changes during coronary bolus perfusion, 173
electron beam computed tomography, right ventricular mass measurement and, 64
electron microscopy, postmortem metabolic and morphologic alterations of dog brain thalamus and, 269
embolectomy, percutaneous transcatheter balloon, 496
embolization, percutaneous internal maxillary arterial, ethylcellulose microspheres and, 354
emphysema, diagnosis, computed tomography and, 552
endocytosis, cellular uptake of prototypical magnetic iron oxide label and, 604
endoscopy with biopsy, versus barium upper gastrointestinal examination with biopsy in gastritis, 329
endovascular stenting, 412
  pharmacologic treatment of intimal hyperplasia and, 532
eosinophilic granuloma, quantitative analysis, 466
ethanol. *See* percutaneous ethanol injection therapy
ethylcellulose microspheres, percutaneous internal maxillary arterial embolization and, 354

F

fibrinolytic agents, metallic prostheses implantation and, 341
fibroma, nonossifying, quantitative analysis, 474
fibromatosis, recurrent, breast carcinoma and, 381
fibromuscular dysplasia, percutaneous transluminal angioplasty and, 40
flow cytometry, platelet activation and, 90
functional magnetic resonance imaging
  quantitative physiologic model of blood oxygenation, 669
  uncoupling between oxidative metabolism and regional cerebral blood flow and, 625

G

gadobutrol, as contrast agent for computed tomography, 644
gadodiamide, biodistribution, 372
gadolinium, efficacy of administration, 634
gadolinium-containing contrast media
  analysis of uptake, 650
  biodistribution, 372
  compared with extracellular agent in healthy liver and metastatic disease, 123
  magnetic resonance imaging of central nervous system and, 75
  magnetic resonance imaging of hepatocarcinoma and, 572
  magnetic resonance perfusion imaging and, 693
  microcirculation of intact rat heart and, 69
gadopentetate
  biodistribution, 372
  microcirculation in intact rat heart and, 69
gadoterate, biodistribution, 372
gadoteridol
  biodistribution, 372
  brain infection and, 135
  healthy liver and metastatic disease and, 123
gastritis
  secondary to *Helicobacter pylori,* upper gastrointestinal series and, 480
  upper gastrointestinal barium examination with biopsy versus endoscopy with biopsy, 329
gastrointestinal magnetic resonance imaging, WIN 39996 as contrast agent, viscosity and, 226
gastrointestinal tract, computed tomography and, 275
glioblastoma, phosphorus-31 chemical shift imaging, 359
granuloma, eosinophilic, quantitative analysis, 466

H

head, closed injury, nuclear magnetic resonance spectroscopy and, 502
head trauma, single photon emission computed tomography analysis and, 582
heart
  bolus administration of iodinated contrast media and noniodinated solutions and, 1
  contractile responses to electrolyte changes during coronary bolus perfusion, 173
  effects of manganese dipyridoxyl diphosphate, dipyridoxyl diphosphate, and manganese chloride on function, 159
  hemodynamics, effects of contrast media, 28
  manganese complexes and, 611
  microcirculation, iodinated and gadolinium-containing contrast media and, 69
  right ventricle. *See* right ventricle
Helicobacter pylori, gastritis secondary, upper gastrointestinal series and, 480
heparin, platelet activation and, flow cytometric evaluation, 90
hepatocarcinoma, enhanced magnetic resonance imaging, 572
hepatocellular carcinoma, undetected on two-phased incremental computed tomography, 458
hepatogenicity, manganese complexes and, 611
high-resolution computed tomography (HRCT)
  infra-alveolar bony lesions in dentate alveolar process and, 421
  interstitial lung disease and, 730
  radiation-induced lung injury and, 79
high-resolution magnetic resonance imaging, melanin-containing skin tumors and, 638
hirudin, recombinant, platelet activation and, flow cytometric evaluation, 90
HRCT. *See* high-resolution computed tomography
HSG. *See* hysterosalpingography
hyaline cartilage, magnetic resonance imaging, 522
hypertension
  pulmonary, 511
  renovascular, percutaneous transluminal angioplasty and, two-year clinical follow-up, 40
hysterosalpingography (HSG), iotrolan and, safety and pharmacokinetics, 538

I

iliac arteries, metallic stent placement, pharmacologic treatment of intimal hyperplasia and, 532
immunogenicity, iotrolan and, 548
infant, ultrasound assessment of liver and kidney brightness, 232
infection
  brain, magnetization transfer and high-dose contrast and, 135
  prostheses implantation and, 341
internal maxillary artery, percutaneous embolization, ethylcellulose microspheres and, 354
intimal hyperplasia, pharmacologic treatment after metallic stent placement, 532

iobitridol
  effects on kidney, 33
  transplacental passage and milk excretion, 156
iodinated contrast media
  allergic-type adverse reactions, 285
  bolus administration, cardiac disturbances induced, 1
  cardiac and hemodynamic tolerability, 745
  intravenous administration, serum creatinine level and, 700
  microcirculation of intact rat heart and, 69
  nephrotoxic potential, 33
  ultrafast computed tomography for myocardial ischemia detection and, 389
iodine, urinary excretion, oral administration of iohexol and, 296
iohexol
  cardiac contractile dysfunction during coronary angiography and, 173
  effects in isolated arteries, 21
  effects on kidney, 33
  myelography and, 239
  oral administration, plasma levels and urinary excretion, 296
iopamidol, allergic-type adverse reactions, 285
iopromide
  allergy-mediated substances and, 144
  vasoactive peptides and, 144, 511
iotrolan
  immunogenicity and, 548
  myelography and, 239
  safety and pharmacokinetics in hysterosalpingography, 538
ioxaglate, allergic-type adverse reactions, 285
iron oxide
  accumulation in lymph nodes, 98
  cellular uptake and trafficking, 604

K

Kawasaki disease, ultrafast x-ray computed tomography and, 389
kidney
  acute failure
    Doppler sonography and, 168
    radiocontrast nephrotoxicity and, 221
  tubules, effects of iobitridol and iohexol, 33
  ultrasound assessment of brightness in infants, 232
  yttrium-90 microsphere arterial administration and, 716
knee arthroplasty, subsidence of tibial components, radiography versus roentgen stereophotogrammetry and, 396

L

letter to editor, 323
lipiodol, safety and pharmacokinetics, iotrolan compared, 538
liver
  biochemistry and histology, effects of carbon dioxide arterial infusion, 192
  focal lesions, phosphorus magnetic resonance spectroscopy and, 56
  hepatobiliary and extracellular contrast agents compared, 123
  hepatocellular carcinoma, undetected on two-phased incremental computed tomography, 458
  manganese complexes and, 611
  neoplasm, magnetic resonance imaging, 572
  phosphorus magnetic resonance spectroscopy, maximum entropy method and, 150
  ultrasound assessment of brightness in infants, 232
low osmolality contrast media
  allergic-type adverse reactions, 285
  impact on renal histology, 33
  plasma levels and urinary excretion, 296
lung
  computed tomography display preferences, 517
  emphysema, diagnosis, computed tomography and, 552
  interstitial disease, breath-hold magnetic resonance gradient echo technique and, 730
  miliary disease, simulated in anthropomorphic phantom, 186
  parenchymal disease, magnetic resonance imaging, 118
  radiation-induced injury, high-resolution computed tomography and, 79
  simulated diffuse interstitial disease, digital chest imaging and, 300
lymph node
  accumulation of ultrasmall superparamagnetic iron oxide particles, 98
  reactive versus tumor-bearing, characterization with interstitial magnetic resonance lymphography, 706
lymphography, magnetic resonance. *See* magnetic resonance lymphography

M

magnetic iron oxide label, 604
magnetic resonance angiography, abdominal aortic aneurysms and, 595
magnetic resonance bone densitometry, 254
magnetic resonance imaging (MRI)
  abdominal aortic aneurysms and, 595
  bone marrow abnormalities and, 110
  brain infection and, 135
  breath-hold gradient echo technique, interstitial lung disease and, 730
  calcified meningiomas and, 345
  central nervous system, safety and efficacy of dotarem versus magnevist, 75
  contrast media, biodistribution, 372
  contrast enhancement in carcinomas and, 291
  detectability of early brain meningitis and, 484
  functional. *See* functional magnetic resonance imaging
  gadolinium-DPTA and, 693
  gastrointestinal. *See* gastrointestinal magnetic resonance imaging
  hepatobiliary and extracellular agents compared, 123
  hepatocarcinoma and, 572
  hyaline cartilage and, 522
  magnetic iron oxide label and, 604
  manganese complexes and, toxicologic risks, 611
  as monitor of changes in irradiated rat brain, 214
  noncalcified meningiomas and, 49
  parenchymal lung disease and, 118
  recurrent fibromatosis in breast carcinoma and, 381
  right ventricular volume measurements in small hearts and, 87
  signal enhancement, myocardial infarction and, 306
  T1-weighted, posterior pituitary high intensity and, 567
magnetic resonance lymphography, reactive versus tumor-bearing lymph nodes and, 706
magnetic resonance spectroscopy (MRS)
  follow-up after radiation therapy, 738
  nuclear. *See* nuclear magnetic resonance spectroscopy
  phosphorus. See phosphorus magnetic resonance spectroscopy
magnetization transfer (MT), brain infection and, 135
magnetization transfer contrast, parenchymal lung disease and, 118

magnevist, magnetic resonance imaging of central nervous system and, 75
mammography, breast disease and, 401, 582
manganese chloride, effects on cardiac function, 159
manganese complexes, toxicologic risk, 611
manganese dipyridoxyl diphosphate, effects on cardiac function, 159
maximum entropy method, phosphorus magnetic resonance spectroscopy in liver disease and, 150
meningioma
  calcified, relaxometry and, 345
  noncalicified, relaxometry and, 49
meningitis, brain, detectability with magnetic resonance imaging, 484
metal prostheses, implantation, infection and, 341
metrizamide, myelography and, 239
microcirculation, heart, iodinated and gadolinium-containing contrast media and, 69
MRI. *See* magnetic resonance imaging
MRS. *See* magnetic resonance spectroscopy
MT. *See* magnetization transfer
myelography, contrast media and, 239
myocardial infarction, magnetic resonance signal enhancement and, 306
myocardial ischemia
  protocols for identification, 367
  ultrafast x-ray computed tomographic detection, dipyridamole loading and, 389
myocardial perfusion imaging, 367
myocardium
  bolus administration of iodinated contrast media and, 1
  metabolism, effects of contrast media, 28

N

neoplasm
  bone, quantitative analysis, 427
  experimental, ultrasonography and, 10
  liver
    hepatobiliary and extracellular contrast agents compared, 123
    magnetic resonance imaging, 572
nephrotoxicity, radiocontrast, 221
neurofibromatosis, percutaneous transluminal angioplasty and, 40
new products, 131, 197, 266, 326, 386, 449, 508, 564, 691, 766
nifedipine, effects in isolated arteries, 21
Nitinol stent, Wallstent compared, 412
NOF. *See* nonossifying fibroma
nonossifying fibroma (NOF), quantitative analysis, 474
nuclear magnetic resonance spectroscopy
  brain and, 199
  closed head injury and, 502
  postmortem metabolic and morphologic alterations of dog brain thalamus and, 269

O

Omnipaque-350, effects on coronary hemodynamics and myocardial metabolism, 28
osteoporosis, magnetic resonance bone densitometry and, 254
oxidative metabolism, functional magnetic resonance imaging and, 625

P

patent ductus arteriosus (PDA), transcatheter occlusion, 104
patent ductus arteriosus occlusion device, self-expanding, 104
PDA. *See* patent ductus arteriosus
PEIT. *See* percutaneous ethanol injection therapy
percutaneous ethanol injection therapy (PEIT), antitumor, ultrasonography and, 10
percutaneous transcatheter balloon embolectomy, 496
percutaneous transluminal angioplasty (PTA), renovascular hypertension and, two-year clinical follow-up, 40
peripheral arteries, metallic stent placement, pharmacologic treatment of intimal hyperplasia and, 532
phosphorus magnetic resonance spectroscopy
  brain tumors and, 359
  focal hepatic lesions and, 56
  phosphate metabolism of liver disease and, 150
pincushion distortion, angiographic images and, 204
pituitary, posterior lobe, high intensity on T1-weighted magnetic resonance imaging, 567
placenta, transplacental passage of iobitridol, 156
platelet, activation, flow cytometric evaluation, 90
pregnancy, ectopic, ultrasound diagnosis, 115
prostheses, implantation, infection and, 341
proton therapy, rat brain and, 214
PTA. *See* percutaneous transluminal angioplasty
pulmonary angiography, response of vasoactive peptides to nonionic contrast medium, 511
pulmonary edema, magnetization transfer contrast and, 118
pulmonary emphysema, diagnosis, computed tomography and, 552
pulmonary fibrosis, magnetization transfer contrast and, 118
pulmonary hypertension, 511
pulmonary opacity, children and, frontal chest x-ray and, 44

Q

quantitative analysis
  aneurysmal bone cysts and, 433
  central chondrosarcoma of bone and, 440
  computed tomography scans of lungs for diagnosis of emphysema and, 552
  eosinophilic granuloma and, 466
  nonossifying fibroma and, 474
  solitary lesions of bone and, 427

R

radiation, rat brain and, magnetic resonance imaging and, 214
radiation therapy, antitumor, ultrasonography and, 10
radiocontrast nephrotoxicity (RCN), 221
radioembolization therapy, superselective, model, 716
radiography
  breast, 582
  gastritis secondary to *Helicobacter pylori* and, 480
  simulated diffuse interstitial pulmonary disease and, 300
  simulated miliary lung disease in anthropomorphic phantom and, 186
  subsidence of tibial components in knee arthroplasty and, 396
  thorax, pulmonary opacities in children and, 44
radiology
  diagnostic, pulmonary opacities in children and, 44
  reliability in rheumatoid arthritis, 181
  therapeutic, human tumors in nude mice and, 10
rCBF. *See* regional cerebral blood flow
RCN. *See* radiocontrast nephrotoxicity
regional cerebral blood flow (rCBF), functional magnetic resonance imaging and, 625
relaxometry
  calcified human meningiomas and, 345
  noncalcified human meningiomas and, 49

Renografin-76, effects on coronary hemodynamics and myocardial metabolism, 28
renovascular hypertension (RVH), percutaneous transluminal angioplasty and, two-year clinical follow-up, 40
resistive index (RI), experimentally induced acute renal failure and, 168
rheumatoid arthritis, radiologic assessment, reliability, 181
RI. *See* resistive index
right ventricle
  mass measurement by electron beam computed tomography, 64
  volume measurements in small hearts, magnetic resonance imaging and, 87
roentgen stereophotogrammetry, subsidence of tibial components in knee arthroplasty and, 396
rotator cuff tear, digital subtraction arthrography and, 544
RVH. *See* renovascular hypertension

S

seizures, efficacy of gadolinium administration, 634
serum creatinine
  experimentally induced acute renal failure and, 168
  intravenous administration of iodinated contrast media and, 700
shoulder, digital subtraction arthrography, 544
single photon emission computed tomography (SPECT), head trauma and stroke and, 588
single-tracer protocol, identification of myocardial ischemia and, 367
skin, tumors, melanin-containing, high-resolution magnetic resonance imaging and, 638
small intestine, contrast media and, 683
sonography. *See also* Ultrasonography
  breast disease and, 401, 582
SPECT. *See* single photon emission computed tomography
spectroscopy, magnetic resonance. *See* magnetic resonance spectroscopy
spin-echo imaging, fast T2-weighted, bone marrow abnormalities and, 110
spin-echo inversion-recovery imaging, bone marrow abnormalities and, 110
squamous cell carcinoma, uterine cervix, thoracic metastases, 724
stents, Nitinol versus Wallstent, 412
stroke, single photon emission computed tomography analysis and, 582
sulfur hexafluoride microbubbles, 451

T

technetium-99m-sestamibi protocol, identification of myocardial ischemia and, 367
teratogenicity, manganese complexes and, 611
thallium-201 chloride protocol, identification of myocardial ischemia and, 367
thanatochronology, 269
therapeutic radiology, human tumors in nude mice and, 10
thoracic metastasis, squamous cell carcinoma of uterine cervix and, 724
thorax, digital chest imaging and, 300
thorax radiography, pulmonary opacities in children and, 44
thromboembolism, percutaneous transcatheter balloon embolectomy and, 496
thrombotic occlusion, intravascular stenting and, 532
tibial components, subsidence in knee arthroplasty, radiography versus roentgen stereophotogrammerty, 396
transpulmonary microbubbles, 451
tumor
  brain, one-dimensional phosphorus-31 chemical shift imaging, 359
  hepatic, phosphorus magnetic resonance spectroscopy and, 56
  percutaneous ethanol injection therapy, ultrasonography and, 10
  radiation therapy, ultrasonography and, 10
  skin, melanin-containing, high-resolution magnetic resonance imaging and, 638

U

ultrafast computed tomography, detection of myocardial ischemia and, 389
ultrasmall superparamagnetic iron oxide (USPIO), accumulation in lymph nodes, 98
ultrasonic contrast, bubbles of slowly permeating gas and, 315
ultrasonography
  assessment of liver and kidney brightness in infants, 232
  breast, 582
  contrast agent based on sulfur hexafluoride-filled microbubbles, 451
  differentiation of benign and malignant breast disease and, 401
  Doppler. *See* Doppler ultrasonography
  ectopic pregnancy diagnosis and, 115
  experimental, human tumors in nude mice and, 10
  tissue characterization, human tumors in nude mice and, 10
upper gastrointestinal barium examination with biopsy, versus endoscopy with biopsy in gastritis, 329
urine, excretion of iodine, oral administration of iohexol and, 296
USPIO. *See* ultrasmall superparamagnetic iron oxide
uterine cervix, squamous cell carcinoma, thoracic metastases, 724

V

vasoactive peptides
  angiographic contrast media and, 144
  response to nonionic contrast medium in pulmonary angiography, 511
vector analysis, solitary lesions of bone and, 427
videodensitometry, 244
viscosity, WIN 39996 in gastrointestinal magnetic resonance imaging and, 226

W

Wallstent, Nitinol stent compared, 412
WIN 39996, as contrast agent in gastrointestinal magnetic resonance imaging, viscosity and, 226

X

xanthan gum, WIN 39996 suspension viscosity and, 226
x-ray, chest. *See* chest x-ray

Y

yttrium-90 microspheres, arterial administration, renal pathology and, 716

Author Index — Volume 30

A

Aarts, N. J. M.: *see* Zagers, R.
Agut, A., Laredo, F. G., Sánchez-Valverde, M. A., Murciano, J., del Carmen Tovar, M.: Plasma levels and urinary excretion of iodine after oral administration of iohexol in dogs and cats, 296
Agut, A.: *see* Murciano, J.
Aibe, H.: *see* Honda, H.
Ambrozaitis, R.: *see* Pozza, C. H.
Amplatz, K.: *see* Pozza, C. H.
Archambeau, J. O.: *see* Kennedy, A. S.
Archambeau, M.-H.: *see* Kennedy, A. S.
Arditi, M.: *see* Schneider, M.
Azuma, H.: *see* Miyamoto, Y.

B

Bååth, L.: *see* Karstoft, J.
Balazs, G.: *see* Takahashi, M.
Balut, C.: *see* Beaufils, H.
Bampo, A.: *see* Longo, R.
Barkley, G. L.: *see* Sanders, W. P.
Barrau, M.-B.: *see* Schneider, M.
Barry, M. A.: *see* Hodgson, R. J.
Beaufils, H., Idée, J. M., Berthommier, C., Balut, C., Bourbouze, R., Nimier, K., Chicandre-Jouannea' , C., Bonnemain, B.: Iobitridol, a new nonionic low-osmolality contrast agent, and iohexol: impact on renal histology in the rat, 33
Bender, G. N., Peller, T., Tsuchida, A., Kelley, J. L.: Double contrast upper gastrointestinal barium examination with biopsy versus endoscopy with biopsy in dyspeptic patients, 329
Bender, G. N.: *see* Crocker, J. D.
Béress, A.: *see* Brossmann, J.
Berg, K.: *see* Brurok, H.
Berthommier, C.: *see* Beaufils, H.
Bier, J.: *see* Mäurer, J.
Biesterfeld, S.: *see* Schürmann, K.
Blais, C.: *see* Patenaude, Y.
Blankson, H.: *see* Jynge, P.
Blaszkiewicz, P.: *see* Krause, W.
Böck, J. C., Henrikson, O., Götze, A. H. G., Wlodarczyk, W., Sander, B., Felix, R.: Magnetic resonance perfusion imaging with gadolinium-DTPA: A quantitative approach for the kinetic analysis of first-pass residue curves, 693
Bogdanova, A.: *see* Schulze, E.
Bolton, S. C.: *see* Moody, A. R.
Bonnemain, B.: *see* Beaufils, H.; *also see* Bourrinet, P.
Bourbouze, R.: *see* Beaufils, H.
Bourrinet, P., Dencausse, A., Havard, P., Violas, X., Bonnemain, B.: Transplacental passage and milk excretion of iobitridol, 156
Bove, P.: *see* Nakamoto, D. A.
Bowsley, S. J.: *see* Mussurakis, S.
Brinkmann, G., Melchert, U. H., Dreher, W., Brossmann, J., Tressing, H., Muhle, C., Reuter, M., Heller, M.: Application of the maximum entropy method for evaluating phosphorus-31-magnetic resonance spectra in patients with liver metastases, 150
Brinkmann, G., Melchert, U. H., Emde, L., Wolf, H., Muhle, C., Brossmann, J., Reuter, M., Heller, M.: In vivo P-31-MR-spectroscopy of focal hepatic lesions: Effectiveness of tumor detection in clinical practice and experimental studies of surface coil characteristics and localization technique, 56
Brochot, J.: *see* Schneider, M.
Broillet, A.: *see* Schneider, M.
Brossmann, J., Jahnke, T., Frank, L. R., Onnasch, D. G. W., Link, J., Müller-Hülsbeck, S., Béress, A., Heller, M.: Theoretical considerations and in vitro results for the development of percutaneous transcatheter balloon embolectomy, 496; *also see* Brinkmann, G.
Brown, R. D., III: *see* Tenner, M. S.
Brundage, B. H.: *see* Cutrone, J. A.
Brurok, H., Schøjtt, J., Berg, K., Karlsson, J. O. G., Jynge, P.: Effects of manganese dipyridoxyl diphosphate, dipyridoxyl diphosphate^{--}, and manganese chloride on cardiac function: An experimental study in the Langendorff perfused rat heart, 159
Buckley, D. L.: *see* Mussurakis, S.
Bunte, T.: *see* Krause, W.
Burkard, M. E.: *see* Van Liew, H. D.
Bush, W. H., Jr.: *see* Lee, J. K. T.

C

Calderwood Mays, M. B.: *see* Mladinich, C. R. J.
Carleton, P. J.: *see* Mussurakis, S.
Carpenter, T. A.: *see* Hodgson, R. J.
Casalini, E., Sfondrini, M. S., Fossali, E.: Two-year clinical follow-up of children and adolescents after percutaneous transluminal angioplasty for renovascular hypertension, 40
Castellino, R. A.: *see* Vassallo, P.
Chagnon, S.: *see* Guth, A.
Chang, K. H.: *see* Ra, D. G.
Chicandre-Jouanneau, C.: *see* Beaufils, H.
Childress, S.: *see* Tenner, M. S.
Choe, B.-Y., Gil, H.-J., Suh, T.-S., Shinn, K.-S.: Postmortem metabolic and morphologic alterations of the dog brain thalamus with use of in vivo ^{1}H magnetic resonance spectroscopy and electron microscopy, 269
Choe, B.-Y., Suh, T.-S., Choi, K.-H., Shinn, K.-S., Park, C.-K., Kang, J.-K.: Neuronal dysfunction in patients with closed head injury evaluated by in vivo ^{1}H magnetic resonance spectroscopy, 502
Choi, H. J.: *see* Yoon, D. Y.
Choi, K.-H.: *see* Choe, B.-Y.
Choi, Y.: *see* Hathout, G. M.
Choyke, P. L.: *see* Lee, J. K. T.
Claussen, C. D.: *see* Schick, F.
Clayton, M. J.: *see* Wojak, J. C.
Coste, J.: *see* Guth, A.
Crocker, J. D., Bender, G. N.: Antral nodularity, fold thickness, and narrowing: Signs on the upper gastrointestinal series that may indicate chronic active gastritis secondary to *Helicobacter pylori*, 480
Crowe, D. J., Helvie, M. A., Wilson, T. E.: Breast infection: Mammographic and sonographic findings with clinical correlation, 582
Cutrone, J. A., Georgiou, D., Khan, S. U., Pollack, A., Laks, M. M., Brundage, B. H.: Right ventricular mass measurement by electron beam computed tomography: validation with autopsy data, 64

D

Dammann, F.: *see* Schick, F.
Debatin, J. F.: *see* Hilfiker, P.
del Carmen Tovar, M.: *see* Agut, A.
Demeure, R.: *see* Grandin, C.
Dencausse, A.: *see* Bourrinet, P.
Deray, G., Jacobs, C.: Radiocontrast nephrotoxicity: A review, 221
de Valois, J. C.: *see* Van Heesewijk, H. P. M.
Diedrich, P.: *see* Langen, H.-J.
Dreher, W.: *see* Brinkmann, G.
Duda, S. H.: *see* Schick, F.
Duffy, K. R.: *see* Kasoff, S. S.

E

Eacobacci, T.: *see* Takahashi, M.
Edvinsson, L.: *see* Karstoft, J.
Egund, N.: *see* Ryd, L.
Elst, L. V.: *see* Goossens, A.
Emde, L.: *see* Brinkmann, G.
Endo, K.: *see* Sato, N.
Ersahin, A., Molloi, S. Y., Hicks, J. W.: Absolute phasic blood flow measurement in the brain using digital subtraction angiography, 244

F

Falke, T. H. M.: *see* Scholten, E. T.
Fareed, J.: *see* Koza, M. J.
Farin, P. U., Jaroma, H.: Digital subtraction shoulder arthrography in determining site and size of rotator cuff tear, 544
Feldberg, M. A. M.: *see* Van Heesewijk, H. P. M.
Felix, R.: *see* Böck, J. C.; *also see* Mäurer, J.
Ferrucci, J. T., Jr.: *see* Schulze, E.
Fisher, A. J., Reinus, W. R., Friedland, J. A., Wilson, A. J.: Quantitative analysis of the plain radiographic appearance of eosinophilic granuloma, 466; *also see* Friedland, J. A.
Fishman, E. K.: *see* Pretorius, E. S.
Flueckiger, F.: *see* Szolar, D. H.
Fossali, E.: *see* Casalini, E.
Fox, J. N.: *see* Mussurakis, S.
Frank, L. R.: *see* Brossmann, J.
Frank, M. S.: *see* Stern, E. J.
Freeby, J. A., Reinus, W. R., Wilson, A. J.: Quantitative analysis of the plain radiographic appearance of aneurysmal bone cysts, 433
Friedland, J. A., Reinus, W. R., Fisher, A. J., Wilson, A. J.: Quantitative analysis of the plain radiographic appearance of nonossifying fibroma, 474
Friedland, J. A.: *see* Fisher, A. J.
Friedland, R. P.: *see* Hedera, P.
Fuhrmann, R.: *see* Langen, H.-J.
Fukuya, T.: *see* Honda, H.
Furuta, M., Hasegawa, M., Mitsuhashi, N., Yamakawa, M., Niibe, H.: Sonographic-histopathologic correlation on human tumor in nude mice treated with percutaneous ethanol injection therapy and radiation therapy, 10

G

Gambhir, S. S.: *see* Hathout, G. M.
Garbe, C.: *see* Mäurer, J.
Geiger, L.: *see* Zimmermann, A.
Georgiou, D.: *see* Cutrone, J. A.
Gil, H.-J.: *see* Choe, B.-Y.
Giorgini, A.: *see* Longo, R.
Godwin, J. D.: *see* Stern, E. J.
Gomes, M. R.: *see* Pozza, C. H.

Gong, G.: *see* Lim, T.-H.
Goo, J. M.: *see* Yoon, D. Y.
Goossens, A., Elst, L. V., Van Haverbeke, Y., Muller, R. N.: Mechanical and biochemical cardiac disturbances induced by bolus administration of iodinated contrast media and noniodinated solutions, 1
Gopi, R. K.: *see* Hathout, G. M.
Gorman, W. G.: *see* Rubin, D. L.
Götze, A. H. G.: *see* Böck, J. C.
Goudemant, J.-F.: *see* Grandin, C.
Gozal, D.: *see* Hathout, G. M.
Grandin, C., Van Beers, B. E., Demeure, R., Goudemant, J.-F., Mottet, I., Pringot, J.: Comparison of gadolinium-DTPA and polylysine-gadolinium-DTPA-enhanced magnetic resonance imaging of hepatocarcinoma in the rat, 572
Greenberg, S. B.: *see* Stauffer, N. R.
Groh, W. C.: *see* Matthai, W. H., Jr.
Günther, R. W.: *see* Langen, H.-J.; *also see* Schürmann, K.
Guth, A., Coste, J., Chagnon, S., Lacombe, P., Paolaggi, J.-B.: Reliability of three methods of radiologic assessment in patients with rheumatoid arthritis, 181

H

Haaga, J. R.: *see* Nakamoto, D. A.
Hall, L. D.: *see* Hodgson, R. J.
Hamada, S.: *see* Naito, H.
Han, M. C.: *see* Yoon, D. Y.
Han, M. H.: *see* Ra, D. G.
Hariman, R. J.: *see* Sheu, S. H.
Harper, R.: *see* Hathout, G. M.
Hasegawa, M.: *see* Furuta, M.
Hathout, G. M., Gambhir, S. S., Gopi, R. K., Kirlew, K. A. T., Choi, Y., So, G., Gozal, D., Harper, R., Lufkin, R. B., Hawkins, R.: A quantitative physiologic model of blood oxygenation for functional magnetic resonance imaging, 669
Havard, P.: *see* Bourrinet, P.
Hawkins, I. F., Jr.: *see* Mladinich, C. R. J.
Hawkins, R.: *see* Hathout, G. M.
Hazleman, B. L.: *see* Hodgson, R. J.
Heaton-Jones, T. G.: *see* Mladinich, C. R. J.
Hedera, P., Wu, D., Lewin, J. S., Miller, D., Lerner, A. J., Friedland, R. P.: Temporal patterns of uncoupling between oxidative metabolism and regional cerebral blood flow demonstrated by functional magnetic resonance imaging, 625
Heller, M.: *see* Brinkmann, G.; *also see* Brossmann, J.
Helvie, M. A.: *see* Crowe, D. J.
Henrikson, O.: *see* Böck, J. C.
Herman, P. G.: *see* Takahashi, M.
Heston, W. D. W.: *see* Vassallo, P.
Heywang-Köbrunner, S. H.: *see* Kösling, S.; *also see* Richter, K.
Hicks, J. W.: *see* Ersahin, A.
Hilfiker, P., Zanetti, M., Debatin, J. F., McKinnon, G., Hodler, J.: Fast spin-echo inversion-recovery imaging versus fast T2-weighted spin-echo imaging in bone marrow abnormalities, 110
Hinshaw, D., Jr.: *see* Kennedy, A. S.
Ho, K.-J.: *see* Shin, M. S.
Hodgson, R. J., Barry, M. A., Carpenter, T. A., Hall, L. D., Hazleman, B. L., Tyler, J. A.: Magnetic resonance imaging protocol optimization for evaluation of hyaline cartilage in the distal interphalangeal joint of fingers, 522
Hodler, J.: *see* Hilfiker, P.
Holshouser, B.: *see* Kennedy, A. S.
Holten, T.: *see* Jynge, P.
Honda, H., Kaneko, K., Maeda, T., Kuroiwa, T., Fukuya, T., Yoshimitsu, K., Irie, H., Aibe, H., Takenaka, K., Tsuneyoshi, M., Sugimachi, K., Masuda, K.: Small hepatocellular carcinomas undetected on two-phased incremental computed tomography: Angiographic and clinicopathologic findings, 458
Horina, J.: *see* Szolar, D. H.
Horsfield, M. A.: *see* Moody, A. R.
Horsman, A.: *see* Mussurakis, S.
Hruban, R. H.: *see* Pretorius, E. S.
Hruby, W.: *see* Mosser, H.
Hugenholtz, H.: *see* Rutter, A.
Hunke, W. A.: *see* Rubin, D. L.
Hwang, M. H.: *see* Sheu, S. H.

I

Idée, J. M.: *see* Beaufils, H.
Irie, H.: *see* Honda, H.
Ishida, K.: *see* Miyamoto, Y.
Iwai, K.: *see* Miyamoto, Y.

J

Jacobs, C.: *see* Deray, G.
Jahnke, T.: *see* Brossmann, J.
Jansen, I.: *see* Karstoft, J.
Jaroma, H.: *see* Farin, P. U.
Jynge, P., Blankson, H., Schjøtt, J., Holten, T., Øksendal, A. N.: Contractile responses to electrolyte changes during coronary bolus perfusion: A comparative study in isolated rat, guinea pig, and rabbit hearts, 173; *also see* Brurok, H.

K

Kamiya, T.: *see* Naito, H.
Kaneko, K.: *see* Honda, H.
Kang, J.-K.: *see* Choe, B.-Y.
Karlsson, J. O. G.: *see* Brurok, H.
Karstoft, J., Bååth, L., Jansen, I., Edvinsson, L.: Calcium antagonistic effects of an angiographic contrast medium in vitro: A comparison of the effects of iohexol with the effects of nifedipine in isolated arteries, 21
Kasoff, S. S., Spiller, M., Valsamis, M. P., Lansen, T. A., Duffy, K. R., Koenig, S. H., Tenner, M. S.: Relaxometry of noncalcified human meningiomas: Correlation with histology and solids content, 49; *also see* Tenner, M. S.
Kelley, J. L.: *see* Bender, G. N.
Kennedy, A. S., Archambeau, J. O., Archambeau, M.-H., Holshouser, B., Thompson, J., Moyers, M., Hinshaw, D., Jr., Slater, J. M.: Magnetic resonance imaging as a monitor of changes in the irradiated rat brain: An aid in determining the time course of events in a histologic study, 214
Khan, A.: *see* Takahashi, M.
Khan, S. U.: *see* Cutrone, J. A.
Kichikawa, K.: *see* Kubota, Y.
Kiehl, A.: *see* Mladinich, C. R. J.
Kim, H. D.: *see* Yoon, D. Y.
Kim, J.-K.: *see* Pozza, C. H.
Kim, S. H.: *see* Yoon, D. Y.
Kimura, Y.: *see* Kubota, Y.
Kirlew, K. A. T.: *see* Hathout, G. M.
Kirsch, J. E.: *see* Runge, V. M.
Klopp, R., Niemer, W., Schippel, W., Krause, W.: Changes in the microcirculation of the intact rat heart after iodinated and gadolinium-containing contrast media, 69
Knollmann, F. D.: *see* Mäurer, J.
Koenig, S. H.: *see* Kasoff, S. S.; *also see* Tenner, M. S.
Kormano, M. J.: *see* Kuzo, R. S.
Kösling, S., Woldag, K., Meister, E.-F., Reschke, I., Heywang-Köbrunner, S. H.: Value of computed tomography in patients with persistent vertigo after stapes surgery, 712
Koutcher, J. A.: *see* Vassallo, P.
Koza, M. J., Shankey, T. V., Walenga, J. M., Moncada, R., Fareed, J., Pifarre, R.: Flow cytometric evaluation of platelet activation by ionic or nonionic contrast media and modulation by heparin and recombinant hirudin, 90
Krampla, W.: *see* Mosser, H.
Krause, W., Bunte, T., Schubert, R., Blaszkiewicz, P.: The lack of immunogenicity of Iotrolan, 548
Krause, W.: *see* Klopp, R.; *also see* Muschick, P.
Kublis, P.: *see* Mladinich, C. R. J.
Kubota, Y., Kichikawa, K., Uchida, H., Maeda, M., Nishimine, K., Makutani, S., Sakaguchi, S., Yoshioka, T., Ohishi, H., Kimura, Y., Yoshikawa, T.: Pharmacologic treatment of intimal hyperplasia after metallic stent placement in the peripheral arteries: An experimental study, 532
Kuijpers, T. J. A.: *see* Oudkerk, M.
Kulisch, A.: *see* Schürmann, K.
Kumar, K.: *see* Tweedle, M. F.
Kurnik, P. B.: *see* Matthai, W. H., Jr.
Kuroiwa, T.: *see* Honda, H.
Kuzo, R. S., Kormano, M. J., Lipton, M. J.: Magnetization transfer magnetic resonance imaging of parenchymal lung disease, 118

L

Lacombe, P.: *see* Guth, A.
Laks, M. M.: *see* Cutrone, J. A.
Lamont, A. C., Pelmore, J. M., Thompson, J. R., Norton-Wayne, L.: Ultrasound assessment of liver and kidney brightness in infants: Use of the gray-level histogram, 232
Langen, H.-J., Fuhrmann, R., Diedrich, P., Günther, R. W.: Diagnosis of infra-alveolar bony lesions in the dentate alveolar process with high-resolution computed tomography: Experimental results, 421
Lansen, T. A.: *see* Kasoff, S. S.
Lapointe, L.: *see* Schulze, E.
Laredo, F. G.: *see* Agut, A.; *also see* Murciano, J.
Lawaczeck, R.: *see* Mühler, A.
Leduc, C.: *see* Patenaude, Y.
Lee, C.: *see* Runge, V. M.
Lee, H. J.: *see* Ra, D. G.
Lee, I.: *see* Lim, T.-H.
Lee, J. H.: *see* Lim, T.-H.
Lee, J. K. T., Warshauer, D. M., Bush, W. H., Jr., McClennan, B. L., Choyke, P. L.: Determination of serum creatinine level before intravenous administration of iodinated contrast medium: A survey, 700
Lee, K. C.: *see* Rubin, D. L.
Lerner, A. J.: *see* Hedera, P.
Levendag, P. C.: *see* Sijens, P. E.
Lewin, J. S.: *see* Hedera, P.
Lim, T.-H., Lee, J. H., Gong, G., Park, S.-J., Lee, I.: Significance of magnetic resonance signal enhancement in evaluation of myocardial infarction in cats, 306

Link, J.: *see* Brossmann, J.
Lipton, M. J.: *see* Kuzo, R. S.
Loeb, H. S.: *see* Sheu, S. H.
Longo, R., Bampo, A., Vidimari, R., Magnaldi, S., Giorgini, A.: Absolute quantitation of brain ^{1}H nuclear magnetic resonance spectra: Comparison of different approaches, 199
Louie, E. K.: *see* Sheu, S. H.
Loutfi, I., Singh, A.: Comparison of quantitative methods for brain single photon emission computed tomography analysis in head trauma and stroke, 588
Loutfi, I., Singh, A.: Comparison of single-tracer (technetium-99m-sestamibi) and dual-tracer (thallium-201 chloride and technetium-99m-sestamibi) protocols for identification of myocardial ischemia, 367
Lufkin, R. B.: *see* Hathout, G. M.
Lutz, O.: *see* Schick, F.

M

Ma, X.-C.: *see* Yang, J.
Machann, J.: *see* Schick, F.
Maeda, M.: *see* Kubota, Y.
Maeda, T.: *see* Honda, H.
Magnaldi, S.: *see* Longo, R.
Makutani, S.: *see* Kubota, Y.
Marks, L. A.: *see* Stauffer, N. R.
Masuda, K.: *see* Honda, H.
Matei, C.: *see* Vassallo, P.
Matthai, W. H., Jr., Groh, W. C., Waxman, H. L., Kurnik, P. B.: Adverse effects of calcium binding contrast agents in diagnostic cardiac angiography: A comparison between formulations with and without calcium binding additives, 663
Mäurer, J., Knollmann, F. D., Schlums, D., Garbe, C., Vogl, T. J., Bier, J., Felix, R.: Role of high-resolution magnetic resonance imaging for differentiating melanin-containing skin tumors, 638
McClennan, B. L.: *see* Lee, J. K. T.
McKinnon, G.: *see* Hilfiker, P.
McLachlan, S. J.: *see* Vassallo, P.
Mehta, B. A.: *see* Sanders, W. P.
Meister, E.-F.: *see* Kösling, S.
Melchert, U. H.: *see* Brinkmann, G.
Merritt, K.: *see* Nakamoto, D. A.
Mettler, D.: *see* Zimmermann, A.
Meyer, D. J. H.: *see* Van der Zwet, P. M. J.
Miller, D.: *see* Hedera, P.
Misselwitz, B., Mühler, A., Weinmann, H.-J.: A toxicologic risk for using manganese complexes? A literature survey of existing data through several medical specialties, 611
Mitsuhashi, N.: *see* Furuta, M.
Miyamoto, Y., Tsujimoto, T., Iwai, K., Ishida, K., Uchimoto, R., Miyazawa, T., Azuma, H.: Safety and pharmacokinetics of iotrolan in hysterosalpingography: Retention and irritability compared with lipiodol, 538
Miyazawa, T.: *see* Miyamoto, Y.
Mladinich, C. R. J., Hawkins, I. F., Jr., Heaton-Jones, T. G., Shiroma, J. T., Weingarten, K., Kiehl, A., Calderwood Mays, M. B., Kublis, P.: Effects of carbon dioxide arterial infusion on hepatic biochemistry and histology in a rabbit model, 192
Molloi, S. Y.: *see* Ersahin, A.
Moncada, R.: *see* Koza, M. J.
Moody, A. R., Bolton, S. C., Horsfield, M. A.: Optimization of a breath-hold magnetic resonance gradient echo technique for the detection of interstitial lung disease, 730
Moskowitz, G. W.: *see* Takahashi, M.
Mosser, H., Pärtan, G., Urban, M., Krampla, W., Ottes, F., Hruby, W.: Conventional film-screen versus computed storage phosphor radiography: Simulated miliary lung disease in an anthropomorphic phantom, 186
Mottet, I.: *see* Grandin, C.
Moyers, M.: *see* Kennedy, A. S.
Muhle, C.: *see* Brinkmann, G.
Mühler, A., Zhang, X., Wang, H., Lawaczeck, R., Weinmann, H.-J.: Investigation of mechanisms influencing the accumulation of ultrasmall superparamagnetic iron oxide particles in lymph nodes, 98; *also see* Misselwitz, B.
Muller, H. H.: *see* Rubin, D. L.
Muller, R. N.: *see* Goossens, A.
Müller-Hülsbeck, S.: *see* Brossmann, J.
Murciano, J., Agut, A., Sánchez-Valverde, M. A., Laredo, F. G., Tovar, M. C.: Local and systemic effects of water-soluble contrast media and barium in rats with chronic small bowel obstruction, 683
Murciano, J.: *see* Agut, A.
Muschick, P., Wehrmann, D., Schuhmann-Giampieri, G., Krause, W.: Cardiac and hemodynamic tolerability of iodinated contrast media in the anesthetized rat, 745
Mussurakis, S., Buckley, D. L., Bowsley, S. J., Carleton, P. J., Fox, J. N., Turnbull, L. W., Horsman, A.: Dynamic contrast-enhanced magnetic resonance imaging of the breast combined with pharmacokinetic analysis of gadolinium-DTPA uptake in the diagnosis of local recurrence of early stage breast carcinoma, 650

N

Na, D. G.: *see* Yoon, D. Y.
Naito, H., Hamada, S., Takamiya, M., Yoshibayashi, M., Kamiya, T., Tamura, S.: Significance of dipyridamole loading in ultrafast x-ray computed tomography for detection of myocardial ischemia: A study in patients with Kawasaki disease, 389
Nakamoto, D. A., Haaga, J. R., Bove, P., Merritt, K., Rowland, D. Y.: Use of fibrinolytic agents to coat wire implants to decrease infection: An animal model, 341
Nicolson, V. M.: *see* Shin, M. S.
Niemer, W.: *see* Klopp, R.
Niibe, H.: *see* Furuta, M.
Nimier, K.: *see* Beaufils, H.
Nishimine, K.: *see* Kubota, Y.
Nolan, T. E.: *see* Wojak, J. C.
Norton-Wayne, L.: *see* Lamont, A. C.

O

Ohishi, H.: *see* Kubota, Y.
Ohya, N.: *see* Sato, N.
Øksendal, A. N.: *see* Jynge, P.
Onnasch, D. G. W.: *see* Brossmann, J.
Ottes, F.: *see* Mosser, H.
Oudkerk, M., Sijens, P. E., Van Beek, E. J. R., Kuijpers, T. J. A.: Safety and efficacy of dotarem (Gd-DOTA) versus magnevist (Gd-DTPA) in magnetic resonance imaging of the central nervous system, 75; *also see* Sijens, P. E.

P

Palestro, C. J.: *see* Takahashi, M.
Paolaggi, J.-B.: *see* Guth, A.
Park, C.-K.: *see* Choe, B.-Y.
Park, S.-J.: *see* Lim, T.-H.
Pärtan, G.: *see* Mosser, H.
Partridge, E. E.: *see* Shin, M. S.
Patenaude, Y., Blais, C., Leduc, C.: Reliability of frontal chest x-ray in diagnosing pulmonary opacities in children, 44
Peller, T.: *see* Bender, G. N.
Pelmore, J. M.: *see* Lamont, A. C.
Piao, Z. E.: *see* Sheu, S. H.
Pifarre, R.: *see* Koza, M. J.
Pipman, Y.: *see* Takahashi, M.
Pollack, A.: *see* Cutrone, J. A.
Poss, K.: *see* Schulze, E.
Pozza, C. H., Gomes, M. R., Qian, Z., Ambrozaitis, R., Kim, J.-K., Amplatz, K.: Transcatheter occlusion of patent ductus arteriosus using a newly developed self-expanding device: Evaluation in a canine model, 104
Preidler, K.: *see* Szolar, D. H.
Pretorius, E. S., Hruban, R. H., Fishman, E. K.: Recurrent fibromatosis in a patient with breast carcinoma: Computed tomography findings with magnetic resonance imaging and pathologic correlation, 381
Pringot, J.: *see* Grandin, C.

Q

Qian, Z.: *see* Pozza, C. H.

R

Ra, D. G., Chang, K. H., Han, M. H., Lee, H. J., Yeon, K. M.: A comparative study on contrast enhancement between 0.5- and 2.0-Tesla field strength in rabbit VX2 carcinomas, 291
Reiber, J. H. C.: *see* Van der Zwet, P. M. J.
Reiber, J. H. C.: *see* Zagers, R.
Reinus, W. R., Wilson, A. J.: Quantitative analysis of solitary lesions of bone, 427; *also see* Fisher, A. J.; Freeby, J. A.; Friedland, J. A.; West, O. C.
Reschke, I.: *see* Kösling, S.
Reuter, M.: *see* Brinkmann, G.
Richter, K., Heywang-Köbrunner, S. H.: Quantitative parameters measured by a new sonographic method for differentiation of benign and malignant breast disease, 401
Riepl, T.: *see* Szolar, D. H.
Rösler, H.: *see* Zimmermann, A.
Rowland, D. Y.: *see* Nakamoto, D. A.
Rubin, D. L., Muller, H. H., Young, S. W., Hunke, W. A., Gorman, W. G., Lee, K. C.: Influence of viscosity on WIN 39996 as a contrast agent for gastrointestinal magnetic resonance imaging, 226
Ruijs, S. H. J.: *see* Van der Schouw, Y. T.
Runge, V. M., Wells, J. W., Kirsch, J. E.: Magnetization transfer and high-dose contrast in early brain infection on magnetic resonance, 135
Runge, V. M., Wells, J. W., Williams, N. M.: Comparison of Gd CyaDOTA, a new hepatobiliary agent, and GdHP-DO3A, an extracellular agent, in normal liver and metastatic disease, 123
Runge, V. M., Wells, J. W., Williams, N. M., Lee, C., Timoney, J. F., Young, A. B.: Detectability of early brain meningitis with magnetic resonance imaging, 484

Rutter, A., Hugenholtz, H., Saunders, J. K., Smith, I. C. P.: One-dimensional phosphorus-31 chemical shift imaging of human brain tumors, 359
Ryd, L., Egund, N.: Subsidence of tibial components in knee arthroplasty: A comparison between conventional radiography and roentgen stereophotogrammetry, 396

S

Saeed, M.: *see* Szolar, D. H.
Sakaguchi, S.: *see* Kubota, Y.
Sánchez-Valverde, M. A.: *see* Agut, A.; *also see* Murciano, J.
Sander, B.: *see* Böck, J. C.
Sanders, W. P., Silbergleit, R., Spickler, E. M., Barkley, G. L., Mehta, B. A.: Efficacy of gadolinium administration in magnetic resonance imaging screening of patients with complex partial seizures and results of a normal neurologic examination, 634
Sato, N., Tanaka, S., Tateno, M., Ohya, N., Takata, K., Endo, K.: Origin of posterior pituitary high intensity on T1-weighted magnetic resonance imaging: Immunohistochemical, electron microscopic, and magnetic resonance studies of posterior pituitary lobe of dehydrated rabbits, 567
Saunders, J. K.: *see* Rutter, A.
Schick, F., Duda, S. H., Dammann, F., Lutz, O., Claussen, C. D.: Comparison of magnetic resonance imaging methods for examinations of abdominal aortic aneurysms, 595
Schick, F., Seitz, D., Machann, J., Lutz, O., Claussen, C. D.: Magnetic resonance bone densitometry: Comparison of different methods based on susceptibility, 254
Schippel, W.: *see* Klopp, R.
Schjøtt, J.: *see* Jynge, P.
Schlums, D.: *see* Mäurer, J.
Schmitz, S. A., Wagner, S., Schuhmann-Giampieri, G., Wolf, K. J.: Evaluation of gadobutrol in a rabbit model as a new lanthanide contrast agent for computed tomography, 644
Schneider, M., Arditi, M., Barrau, M.-B., Brochot, J., Broillet, A., Ventrone, R., Yan, F.: Br1: A new ultrasonographic contrast agent based on sulfur hexafluoride-filled microbubbles, 451
Schøjtt, J.: *see* Brurok, H.
Scholten, E. T., Ziedses des Plantes, B. G., Falke, T. H. M.: Computed tomography of the large bowel wall: Choice of slice thickness and intraluminal contrast medium, 275
Schubert, R.: *see* Krause, W.
Schubiger, P. A.: *see* Zimmermann, A.
Schuhmann-Giampieri, G.: *see* Muschick, P.; *also see* Schmitz, S. A.
Schultze Kool, L. J.: *see* Zagers, R.
Schulze, E., Ferrucci, J. T., Jr., Poss, K., Lapointe, L., Bogdanova, A., Weissleder, R.: Cellular uptake and trafficking of a prototypical magnetic iron oxide label in vitro, 604
Schürmann, K., Vorwerk, D., Kulisch, A., Stroehmer-Kulisch, E., Biesterfeld, S., Stopinski, T., Günther, R. W.: Experimental arterial stent placement: Comparison of a new nitinol stent and wallstent, 412
Seitz, D.: *see* Schick, F.
Sfondrini, M. S.: *see* Casalini, E.
Shankey, T. V.: *see* Koza, M. J.
Sheu, S. H., Hwang, M. H., Piao, Z. E., Hariman, R. J., Louie, E. K., Loeb, H. S.: Effects of contrast media on coronary hemodynamics and myocardial metabolism, 28
Shin, M. S., Shingleton, H. M., Partridge, E. E., Nicolson, V. M., Ho, K.-J.: Squamous cell carcinoma of the uterine cervix: Patterns of thoracic metastases, 724
Shingleton, H. M.: *see* Shin, M. S.
Shinn, K.-S.: *see* Choe, B.-Y.
Shiroma, J. T.: *see* Mladinich, C. R. J.
Siderio, D. L.: *see* Stauffer, N. R.
Sijens, P. E., Vecht, C. J., Levendag, P. C., Van Dijk, P., Oudkerk, M.: Hydrogen magnetic resonance spectroscopy follow-up after radiation therapy of human brain cancer: Unexpected inverse correlation between the changes in tumor choline level and post-gadolinium magnetic resonance imaging contrast, 738; *also see* Oudkerk, M.
Silbergleit, R.: *also see* Sanders, W. P.
Simon, M. R.: Allergic-type adverse reactions to low osmolality contrast media in patients with a history of allergy or asthma, 285
Singh, A.: *see* Loutfi, I.
Singh, G. K.: *see* Stauffer, N. R.
Skalpe, I. O., Tang, G. J.: Animal experimental myelography in the pig: A comparison between iohexol and iotrolan, 239
Slater, J. M.: *see* Kennedy, A. S.
Smith, I. C. P.: *see* Rutter, A.
So, G.: *see* Hathout, G. M.
Spickler, E. M.: *see* Sanders, W. P.
Spiller, M.: *see* Kasoff, S. S.; *also see* Tenner, M. S.
Stauffer, N. R., Greenberg, S. B., Marks, L. A., Singh, G. K., Siderio, D. L.: Validation of right ventricular volume measurements by magnetic resonance imaging in small hearts using a fetal lamb model, 87
Stern, E. J., Frank, M. S., Godwin, J. D.: Chest computed tomography display preferences: Survey of thoracic radiologists, 517
Sternthal, H.: *see* Szolar, D. H.
Stiskal, M. A.: *see* Szolar, D. H.
Stolk, J.: *see* Zagers, R.
Stopinski, T.: *see* Schürmann, K.
Stroehmer-Kulisch, E.: *see* Schürmann, K.
Sugimachi, K.: *see* Honda, H.
Suh, T.-S.: *see* Choe, B.-Y.
Szolar, D. H., Saeed, M., Flueckiger, F., Preidler, K., Stiskal, M. A., Watzinger, N., Riepl, T., Horina, J.: Pulmonary hypertension: Response of vasoactive peptides to a nonionic contrast medium in patients undergoing pulmonary angiography, 511
Szolar, D. H., Saeed, M., Flueckiger, F., Preidler, K., Stiskal, M. A., Watzinger, N., Sternthal, H., Horina, J.: Effects of iopromide on vasoactive peptides and allergy-mediated substances in healthy volunteers, 144

T

Takahashi, M., Balazs, G., Pipman, Y., Moskowitz, G. W., Palestro, C. J., Eacobacci, T., Khan, A., Herman, P. G.: Radiation-induced lung injury using a pig model: Evaluation by high-resolution computed tomography, 79
Takamiya, M.: *see* Naito, H.
Takata, K.: *see* Sato, N.
Takenaka, K.: *see* Honda, H.
Tamura, S.: *see* Naito, H.
Tanaka, S.: *see* Sato, N.
Tang, G. J.: *see* Skalpe, I. O.
Tateno, M.: *see* Sato, N.
Tenner, M. S., Spiller, M., Koenig, S. H., Valsamis, M. P., Childress, S., Brown, R. D., III, Kasoff, S. S.: Calcification can shorten T2, but not T1, at magnetic resonance imaging fields: Results of a relaxometry study of calcified human meningiomas, 345
Tenner, M. S.: *see* Kasoff, S. S.
Thompson, J.: *see* Kennedy, A. S.
Thompson, J. R.: *see* Lamont, A. C.
Timoney, J. F.: *see* Runge, V. M.
Tovar, M. C.: *see* Murciano, J.
Tressing, H.: *see* Brinkmann, G.
Triller, J.: *see* Zimmermann, A.
Tsuchida, A.: *see* Bender, G. N.
Tsujimoto, T.: *see* Miyamoto, Y.
Tsuneyoshi, M.: *see* Honda, H.
Turnbull, L. W.: *see* Mussurakis, S.
Tweedle, M. F., Wedeking, P., Kumar, K.: Biodistribution of radiolabeled, formulated gadopentetate, gadoteridol, gadoterate, and gadodiamide in mice and rats, 372
Tyler, J. A.: *see* Hodgson, R. J.

U

Uchida, H.: *see* Kubota, Y.
Uchimoto, R.: *see* Miyamoto, Y.
Urban, M.: *see* Mosser, H.

V

Valsamis, M. P.: *see* Kasoff, S. S.; *also see* Tenner, M. S.
Van Beek, E. J. R.: *see* Oudkerk, M.
Van Beers, B. E.: *see* Grandin, C.
Van der Graaf, Y.: *see* Van Heesewijk, H. P. M.
Van der Schouw, Y. T., Verbeek, A. L. M., Ruijs, S. H. J.: Guidelines for the assessment of new diagnostic tests, 334
Van der Zwet, P. M. J., Meyer, D. J. H., Reiber, J. H. C.: Automated and accurate assessment of the distribution, magnitude, and direction of pincushion distortion in angiographic images, 204
Van Dijk, P.: *see* Sijens, P. E.
Van Haverbeke, Y.: *see* Goossens, A.
Van Heesewijk, H. P. M., Van der Graaf, Y., de Valois, J. C., Feldberg, M. A. M.: Digital chest imaging using a selenium detector: A simulated diffuse interstitial pulmonary disease detection study, 300
Van Liew, H. D., Burkard, M. E.: Behavior of bubbles of slowly permeating gas used for ultrasonic imaging contrast, 315
Van Voorthuisen, A. E.: *see* Zagers, R.
Vassallo, P., Matei, C., Heston, W. D. W., McLachlan, S. J., Koutcher, J. A., Castellino, R. A.: Characterization of reactive versus tumor-bearing lymph nodes with interstitial magnetic resonance lymphography in an animal model, 706
Vecht, C. J.: *see* Sijens, P. E.
Ventrone, R.: *see* Schneider, M.
Verbeek, A. L. M.: *see* Van der Schouw, Y. T.
Vidimari, R.: *see* Longo, R.
Violas, X.: *see* Bourrinet, P.
Vogl, T. J.: *see* Mäurer, J.
Vorwerk, D.: *see* Schürmann, K.
Vrooman, H. A.: *see* Zagers, R.

W

Wagner, S.: *see* Schmitz, S. A.
Walenga, J. M.: *see* Koza, M. J.

Wang, H.: *see* Mühler, A.
Warshauer, D. M.: *see* Lee, J. K. T.
Watzinger, N.: *see* Szolar, D. H.
Waxman, H. L.: *see* Matthai, W. H., Jr.
Wedeking, P.: *see* Tweedle, M. F.
Wehrmann, D.: *see* Muschick, P.
Wei, S.-L.: *see* Yang, J.
Weingarten, K.: *see* Mladinich, C. R. J.
Weinmann, H.-J.: *see* Misselwitz, B.; *also see* Mühler, A.
Weissleder, R.: *see* Schulze, E.
Wells, J. W.: *see* Runge, V. M.
West, O. C., Reinus, W. R., Wilson, A. J.: Quantitative analysis of the plain radiographic appearance of central chondrosarcoma of bone, 440
Williams, N. M.: *see* Runge, V. M.
Wilson, A. J.:*see* Fisher, A. J. *also see* Freeby, J. A.; Friedland, J. A.; Reinus, W. R.; West, O. C.
Wilson, T. E.: *see* Crowe, D. J.
Wlodarczyk, W.: *see* Böck, J. C.
Wojak, J. C., Clayton, M. J., Nolan, T. E.: Outcomes of ultrasound diagnosis of ectopic pregnancy: Dependence on observer experience, 115
Woldag, K.: *see* Kösling, S.
Wolf, H.: *see* Brinkmann, G.
Wolf, K. J.: *see* Schmitz, S. A.
Wu, D.: *see* Hedera, P.
Wu, Q.-G.: *see* Yang, J.

Y

Yamakawa, M.: *see* Furuta, M.
Yan, F.: *see* Schneider, M.
Yang, J., Ma, X.-C., Zou, Z.-J., Wu, Q.-G., Wei, S.-L.: Percutaneous internal maxillary arterial embolization with ethylcellulose microspheres: Results in an animal model, 354
Yeon, K. M.: *see* Ra, D. G.; *also see* Yoon, D. Y.
Yoon, D. Y., Kim, S. H., Kim, H. D., Na, D. G., Goo, J. M., Choi, H. J., Yeon, K. M., Han, M. C.: Doppler sonography in experimentally induced acute renal failure in rabbits: Resistive index versus serum creatinine levels, 168
Yoshibayashi, M.: *see* Naito, H.
Yoshikawa, T.: *see* Kubota, Y.
Yoshimitsu, K.: *see* Honda, H.
Yoshioka, T.: *see* Kubota, Y.
Young, A. B.: *see* Runge, V. M.
Young, S. W.: *see* Rubin, D. L.

Z

Zagers, R., Vrooman, H. A., Aarts, N. J. M., Stolk, J., Schultze Kool, L. J., Van Voorthuisen, A. E., Reiber, J. H. C.: Quantitative analysis of computed tomography scans of the lungs for the diagnosis of pulmonary emphysema: A validation study of a semi-automated contour detection technique, 552
Zanetti, M.: *see* Hilfiker, P.
Zhang, X.: *see* Mühler, A.
Ziedses des Plantes, B. G.: *see* Scholten, E. T.
Zimmermann, A., Schubiger, P. A., Mettler, D., Geiger, L., Triller, J., Rösler, H.: Renal pathology after arterial yttrium-90 microsphere administration in pigs: A model for superselective radioembolization therapy, 716
Zou, Z.-J.: *see* Yang, J.